Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	175	expand$3 with ((distribution or email or address) with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:28
L11	65	10 and e$mail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:47
L12	16	11 and (error with message$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:38
L13	2	12 and ((delet$3 or updat$3) with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:39
L14	15	12 and (delet$3 or updat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:41
L15	1	12 and ((delet$3 or updat$3) with address$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:40
L16	16	12 and (delet$3 or updat$3 or remov$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:41
L17	2	11 and ((delet$3 or remov$3) with (address$2 or recipient$1) same error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:49

L18	29	11 and ((delet$3 or remov$3) with (address$2 or recipient$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:58
L19	20	18 not 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:49
L20	5	19 and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:49
L21	351	((delet$3 or remov$3) with (address$2) and email$1 and (error with message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:59
L22	124	21 and ((distribution or recipient) with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:59
L23	72	22 and ((document or email or message) with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:02
L24	0	23 and (error with message with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
L25	2	23 and (error with message same identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00

L26	30	23 and (distribut$3 with (recipient$1 or address$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:03
L27	8	26 and (non$existent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:05
L28	22	26 not 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1007	"distribution list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:22
S2	38	"distribution list" and (identifier with "distribution list")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:29
S3	2	("distribution list" and (identifier with "distribution list")) and (delet$3 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 11:24
S4	27	("distribution list" and (identifier with "distribution list")) and delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 11:24
S5	25	(("distribution list" and (identifier with "distribution list")) and delet$3) not (("distribution list" and (identifier with "distribution list")) and (delet$3 with address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 11:24
S6	65	(error with message) and (invalid$ with (member or addressee))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:43
S7	2	((error with message) and (invalid$ with (member or addressee))) and (identifier with "distribution list")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:29
S8	32	((error with message) and (invalid$ with (member or addressee))) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:29
S9	28	(((error with message) and (invalid$ with (member or addressee))) and identifier) and delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:44

S10	16	"distribution list" and ((error with message) and (invalid$ with (member or addressee)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:44
S11	15	("distribution list" and ((error with message) and (invalid$ with (member or addressee)))) and delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:58
S12	100	erro$5 with addressee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:17
S13	13	"distribution list" and (erro$5 with addressee)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 15:59
S14	12	("distribution list" and (erro$5 with addressee)) and (remov$3 or delet$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:00
S15	83	delet$3 with distribution with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:20
S16	17	(delet$3 with distribution with list) and (identifier with ("distribution list" or message or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:21
S17	1	"distribution list" and (non$existent with member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:12
S18	708	invalid with (member or addressee or recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:13
S19	37	(invalid with (member or addressee or recipient)) and "distribution list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:13

S20	36	((invalid with (member or addressee or recipient)) and "distribution list") and (delet$3 or remov$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:13
S21	37	"distribution list" and (delet$3 with distribution with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:20
S22	15	("distribution list" and (delet$3 with distribution with list)) and (identifier with ("distribution list" or message or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/16 16:21
S23	103	error$5 with addressee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:18
S24	134	(error$5 or invalid or unknown) with addressee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:38
S25	4931	"distribution list" or (e$mail with list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:19
S26	25	((error$5 or invalid or unknown) with addressee) and ("distribution list" or (e$mail with list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:19
S27	386	(invalid or unknown) with (addressee or recipient$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:40
S28	393	(invalid or unknown or nonexist$4) with (addressee or recipient$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:40
S29	202	((invalid or unknown or nonexist$4) with (addressee or recipient$)) and ("electronic mail" or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 13:41

S30	93	((((invalid or unknown or nonexist$4) with (addressee or recipient$)) and ("electronic mail" or email or e-mail)) and ("distribution list" or (e$mail with list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:27
S31	442	(delet$3 with address) and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:28
S32	0	((delet$3 with address) and email) and (emai with address with delet$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:28
S33	81	((delet$3 with address) and email) and (email with address with delet$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:30
S34	0	(((((delet$3 with address) and email) and (email with address with delet$3)) and (delet$3 with chang$3)) and mapi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:31
S35	24	((((delet$3 with address) and email) and (email with address with delet$3)) and (delet$3 with chang$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:41
S36	3	((((delet$3 with address) and email) and (email with address with delet$3)) and (delet$3 with chang$3)) and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:44
S37	59	document with delet$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:42
S38	29	(document with delet$3 with identifier) and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:43
S39	26	((document with delet$3 with identifier) and address) and distribut$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:44

S40	12	((((document with delet$3 with identifier) and address) and distribut$3) and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 17:44
S41	6	(("5757669") or ("5913032") or ("6205471")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/13 18:53
S42	56	"distribution list" with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:13
S43	49	("distribution list" with management) and (email or "electronic mail" or e-mail or message$1 or "electronic document")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:38
S44	109	database with "distribution list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:38
S45	49	(database with "distribution list") and (manag$3 with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:39
S46	33	((database with "distribution list") and (manag$3 with list)) and (error with message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:39